CLEARINGHOUSE FOR FEDERAL SCIENTIFIC AND TECHNICAL INFORMATION CFSTI DOCUMENT MANAGEMENT BRANCH 418.11

LIMITATIONS IN REPRODUCTION QUALITY

ACCESSION # AD 606849
I. WE REGRET THAT LEGIBILITY OF THIS DOCUMENT IS IN PART UNSATISFACTORY. REPRODUCTION HAS BEEN MADE FROM BEST AVAILABLE COPY.
2. A PORTION OF THE ORIGINAL DOCUMENT CONTAINS FINE DETAIL WHICH MAY MAKE READING OF PHOTOCOPY DIFFICULT.
3. THE ORIGINAL DOCUMENT CONTAINS COLOR, BUT DISTRIBUTION COPIES ARE AVAILABLE IN BLACK-AND-WHITE REPRODUCTION ONLY.
4. THE INITIAL DISTRIBUTION COPIES CONTAIN COLOR WHICH WILL BE SHOWN IN BLACK-AND-WHITE WHEN IT IS NECESSARY TO REPRINT.
5. LIMITED SUPPLY ON HAND: WHEN EXHAUSTED, DOCUMENT WILL BE AVAILABLE IN MICROFICHE ONLY.
6. LIMITED SUPPLY ON HAND: WHEN EXHAUSTED DOCUMENT WILL NOT BE AVAILABLE.
7. DOCUMENT IS AVAILABLE IN MCROFICHE ONLY.
8. DOCUMENT AVAILABLE ON LOAN FROM CESTI (TT DOCUMENTS ONLY).
□ •.
NBS 9/64 PROCESSOR: 92-1

Y D1

ANALYTICAL APPROXIMATIONS

Volume 28

Cecil Hastings, Jr. Elaine Hastings

P-1301


4 March 1958

Approved for OTS releasa

COPY OF 1 182

HARD COPY \$. 1.00

MICROFICHE \$. 0.50





Gaussian Error Integral: To better than .0005 over $(-\infty, +\infty)$,

$$\frac{1}{2}(x) = \frac{2}{\sqrt{\pi}} \int_{e}^{x} e^{-t^{2}} dt$$

$$\frac{1}{\sqrt{x^{2} + (a_{0} + a_{2}x^{2} + a_{4}x^{4})^{-4}}}$$

wherein

$$a_0 = 1.0635$$
 $a_2 = .1535$
 $a_4 = .0341$

Gaussian Error Integral: To better than .00004 over $(-\infty, +\infty)$,

$$\bar{z}(x) = \frac{2}{\sqrt{\pi}} \int_{a}^{x} e^{-t^{2}} dt$$

$$= \frac{x}{\sqrt{x^{2} + (a_{0} + a_{2}x^{2} + \dots)^{-4}}}$$

wherein

 $a_0 = 1.06214$

a₂ = .16193

 $a_4 = .02431$

a₆ = .00266

Gaussian Error Integral: To better than .000006 over $(-\infty, +\infty)$,

$$\frac{1}{2}(x) = \frac{2}{\sqrt{\pi}} \int_{0}^{x} e^{-t^{2}} dt$$

$$\frac{x}{\sqrt{x^{2} + (a_{0} + a_{2}x^{2} + a_{4}x^{4} + \dots)^{-4}}}$$

wherein

 $a_0 = 1.062273$

a₂ = .160871

 $a_4 = .026161$

a₆ = .001648

 $a_8 = .000158$.

Gaussian Error Integral: To better than .00007 over $(-\infty, +\infty)$,

$$I(x) = \frac{2}{\sqrt{\pi}} \int_{0}^{x} e^{-t^{2}} dt$$

$$= \frac{x}{\sqrt{x^{2} + (a_{0} + a_{2}x^{2} + a_{4}x^{4})^{-8}}}$$

wherein

$$a_0 = 1.03074$$

$$a_2 = .07761$$

$$a_{\mu} = .01019$$

Gaussian Error Integral: To better than .000006 over $(-\infty, +\infty)$,

$$I(x) = \frac{2}{\sqrt{\pi}} \int_{e}^{x} e^{-t^{2}} dt$$

$$\frac{x}{\sqrt{x^{2} + (a_{0} + a_{2}x^{2} + a_{4}x^{4} + a_{6}x^{6})^{-8}}}$$

wherein

 $a_0 = 1.030653$

a₂ = .078127

 $a_4 = .009592$

8₆ = .000157

Gaussian Error Integral: To better than .000005 over (-0,+00),

$$\frac{\mathbf{x}}{\mathbf{x}} = \frac{2}{\sqrt{\pi}} \int_{0}^{x} e^{-t^{2}} dt$$

$$\frac{\mathbf{x}}{\sqrt{x^{2} + (a_{0} + a_{2}x^{2} + a_{4}x^{4})^{-10}}}$$

wherein

a₀ = 1.024457

.062087

·007205